

2020 Edition


RACING

PROFESSIONAL RACING BRAKE PADS



Application Catalog & Specification Guide

Raybestos®
The best in brakes®



Raybestos
The Best in Brakes™ *SINCE 1902*

The Raybestos® brand legacy dates back to 1902. In 1957, Raybestos® started its long racing tradition by partnering with drivers in the Indy 500 and sponsoring the Safety in Speed award. Over the years, many drivers have taken the checkered flag using Raybestos® brakes, relying on the quality and innovation of Raybestos® for top-of-the-line, first-lap-to-last-lap performance.

With this in mind, Raybestos® now offers a specific Professional Racing brake pad program. This program has a strong selection of popular stocking part numbers featuring a number of compounds, caliper pad shapes, and thicknesses. There is also a large number of custom pads that are available through the Build to Order part of the program. You select which pad shape, formulation, and thickness you need, and we will formulate and press it right here in North America.

When you need the best, turn the corner sharply to Raybestos® Professional Racing pads.

Raybestos®
The best in brakes®

Raybestos® Professional Racing brake pads are race proven by champions globally. Compounds are specifically engineered and formulated for high-performance track use. They provide reliable, consistent braking in all track conditions. Extensive high-temperature fade-resistance testing is performed on the product to ensure optimum results.

When using Raybestos® Professional Racing brake pads you can expect:

- Dependable, aggressive, and fade resistant braking
- Superior shear strength
- Low wear rate
- Extreme stopping power and optimum safety

For safe, long-wearing disc brake pads made with superior friction compounds that provide excellent value, why would you look anywhere else?

Easy to Understand Part Number Label



Raybestos® Professional Racing brake pads cannot be used on the street. These brake pads are specifically designed and engineered for the demands and extreme usage needed on a race track only. Raybestos® Professional Racing brake pads go the extra mile to ensure top-of-the-line performance. They are not to be used in off track driving situations.

Mechanical Retention System

The ultimate in shear resistance and puck retention

- Mechanical Retention System securely attaches friction material to plate for greatly improved shear strength and reduces the possibility of puck end-lift.
- High-quality steel hooks mechanically attach the friction to the steel plate to reduce potential rust jacking for improved safety.



RACING

PROFESSIONAL RACING BRAKE PADS

Raybestos® Racing Compounds

Raybestos® racing compounds are designed specifically to handle the demands required of the professional racing driver. They are to be used on the track only, and are not for street applications. Proper bedding is required for all compounds, and they are to be used with iron or steel rotors.



Raybestos®
The best in brakes®

Racing Formula Descriptions

Formulas are ordered by the highest average friction coefficient

ST47- Highest Overall Torque for Professional Racing


- Immediate cold response with very high torque at all temperatures
- Ideal for the most severe asphalt short tracks, road courses, and other high friction applications
- Extremely low wear rate and very low taper

ST41- High Torque, Fast Recovery for High Repetition Stops, Extreme Heat

- Aggressive cold initial bite, with increased torque at high temperatures
- High fade resistance with fast recovery during repeated high temperature stops on asphalt short tracks, road courses, and other high friction applications
- Low wear rate

ST45- Durable, High Speed Braking

- Ideal for heavy braking asphalt ovals and road racing
- Consistent, stable mid to high-level friction
- Extremely low wear rate, ideal for endurance
- High fade resistance



Raybestos®
The best in brakes®

Racing Formula Descriptions-contd.

Formulas are ordered by the highest average friction coefficient

ST38- Medium to Heavy Braking, Asphalt and Dirt

- Formulated for sportsman class asphalt and dirt ovals, off-road applications
- Consistent, stable mid-level torque at operating temperature to high heat
- Predictable response
- Low wear rate and gentle on rotors

ST43- Medium to High Friction

- Predictable torque increase with temperature
- Fade resistant throughout temperature range
- High initial bite
- Medium wear rate

ST44- Consistent, Medium Friction at All Temperatures


- Consistent, repeatable pedal response throughout temperature range
- Softer, less aggressive friction curve
- High fade resistance and medium wear rate
- Ideal multi-use friction for a wide variety of applications

ST31- Autocross to Light Duty Track

- Low to mid-level compound with consistent, linear response
- Formulated for low energy input, low average torque
- Low wear rate

ST77- Street to Autocross

- Street to track compound with exceptionally linear response
- Formulated for quiet, consistent performance
- Ideal for big-brake street kits
- Medium wear rate



Bedding Steps

These procedures should only be performed on a race track.

Begin with a series of light decelerations to gradually build some heat in the brakes. Use an on-and-off the pedal technique by applying the brakes for 3-5 seconds, and then allow them to fully release for a period roughly twice as long as the deceleration cycle.

Recommended Procedure:

- Perform 10 moderate brake applications from 45 to 10 mph at approximately ¼-mile intervals.
- Make 10 somewhat harder brake applications from 60 to 10 mph at approximately ½-mile intervals.
- Drive 1.5 miles.
- 8-10 hard (but less than ABS) applications from 70 to 25 mph at ¾-mile intervals. Allow an equal time off brake between each stop. The pads should now be providing positive and consistent response.
- Drive at least two miles after last application at a moderate cruising speed, with the least amount of brake contact possible, until most of the heat has dissipated from the brakes.
- Park the vehicle and allow the brakes to cool to ambient air temperature. Avoid sitting stopped with the brake pedal depressed to hold the car in place during this time.

WARNING: If any amount of brake fade is observed during the bedding process, immediately begin the cool down cycle.


Post-Bedding Inspection

After the bedding cycle, the rotors should exhibit a uniformly burnished finish across the entire contact face. Any surface irregularities that appear as smearing or splotching on the rotor faces can be an indication that the brakes were brought up to temperature too quickly during the bedding cycle.



R8

FMSI# D8



Height Inches: 2.98 Height mm: 75.69 Length Inches: 6.21 Length mm: 157.73

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB126	0.51	13

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R8T13	0.512	13
ST47R8T14	0.551	14
ST47R8T20	0.787	20
ST41R8T13	0.512	13
ST41R8T14	0.551	14
ST41R8T20	0.787	20
ST45R8T13	0.512	13
ST45R8T14	0.551	14
ST45R8T20	0.787	20
ST43R8T13	0.512	13
ST43R8T14	0.551	14
ST43R8T20	0.787	20

Caliper Application

Fitments
GM D8 Type, Howe, Wilwood D8-4

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R20

FMSI# DR4



Height Inches: 2.39 Height mm: 60.71 Length Inches: 1.98 Length mm: 50.29

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	506	0.48	12
Hawk	HB104	0.48	12
Mintex	809	0.49	12
PFC	7757	0.49	12
Wilwood	7012	0.5	13

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R20T13	0.512	13
ST41R20T13	0.512	13
ST45R20T13	0.512	13
ST43R20T13	0.512	13

Caliper Application

Fitments
Aerospace, JFZ, M-W, Outlaw, Sierra, Strange, Wilwood DLS, US Brake

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R25

FMSI# DR31



Height Inches: 2.27 Height mm: 57.66 Length Inches: 1.97 Length mm: 50.04

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB622	0.49	12

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R25T13	0.512	13
ST41R25T13	0.512	13
ST45R25T13	0.512	13
ST43R25T13	0.512	13
ST31R25T13	0.512	13
ST17R25T13	0.512	13

Caliper Application

Fitments
Alfa Romeo, ATE (Historic German Alfred Teves), BMW, Mercedes, Porsche, Vintage Lucas Girling, Volvo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
	s/o	s/o	s/o			s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R31

FMSI# D96A



Height Inches: 2.24 Height mm: 56.90 Length Inches: 2.42 Length mm: 61.47

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	3	0.59	15
Hawk	HB172	0.5	13
PFC	0031	0.59	15
Wilwood	D31	0.59	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R31T15	0.591	15
ST47R31T18	0.709	18
ST41R31T15	0.591	15
ST41R31T18	0.709	18
ST45R31T15	0.591	15
ST45R31T18	0.709	18
ST44R31T15	0.591	15
ST43R31T15	0.591	15
ST43R31T18	0.709	18
ST17R31T15	0.591	15
ST42R31T15	0.591	15
ST17R31T18	0.709	18

Caliper Application

Fitments
Alfa Romeo, Porsche, Ferrari, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R44

FMSI# D44



Height Inches: 2.16 Height mm: 54.86 Length Inches: 2.48 Length mm: 62.99

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	3451	0.56	14
Ferodo	809	0.56	14
Hawk	HB118	0.56	14
PFC	0044	0.59	15
Wilwood	D44	0.56	14

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R44T14	0.551	14
ST41R44T14	0.551	14
ST45R44T14	0.551	14
ST43R44T14	0.551	14
ST31R44T14	0.551	14
ST42R44T14	0.551	14

Caliper Application

Fitments
Alcon 'R', Formula Mazda, Lotus,
Lucas Girling, BMW Junior
Series Open

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R45

FMSI# D45



Height Inches: 2.75 Height mm: 69.85 Length Inches: 3.01 Length mm: 76.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB171	0.6	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R45T15	0.591	15
ST47R45T19	0.748	19
ST41R45T15	0.591	15
ST41R45T19	0.748	19
ST45R45T15	0.591	15
ST45R45T19	0.748	19
ST44R45T19	0.748	19
ST43R45T15	0.591	15
ST43R45T19	0.748	19
ST42R45T15	0.591	15

Caliper Application

Fitments
Early BMW, Porsche

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R45A

FMSI# D45



Height Inches: 2.75 Height mm: 69.85 Length Inches: 3.01 Length mm: 76.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R45AT15	0.591	15

Caliper Application

Fitments
Early BMW, Porsche

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order




Fitments listed for reference only. Custom thickness available upon request.

R52

FMSI# D52



Inner



Outer

Height Inches: 2.57 Height mm: 65.28 Length Inches: 7.22 Length mm: 183.39

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS52		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R52T14	0.551	14
ST41R52T14	0.551	14
ST45R52T14	0.551	14
ST43R52T14	0.551	14
ST38R52T14	0.551	14
ST77R52T14	0.551	14
ST31R52T14	0.551	14

Caliper Application

Fitments
GM, Howe, StopTech, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
s/o		s/o	s/o			s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R76

FMSI# D76



Height Inches: 2.04 Height mm: 51.82 Length Inches: 4.25 Length mm: 107.95

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Bosch	BP76		
Wagner	7009		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R76T15	0.591	15
ST47R76T17	0.669	17
ST41R76T15	0.591	15
ST41R76T17	0.669	17
ST45R76T15	0.591	15
ST45R76T17	0.669	17
ST44R76T15	0.591	15
ST43R76T15	0.591	15
ST43R76T17	0.669	17

Caliper Application

Fitments
Ford Truck, Mazda

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o				s/o	s/o

s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R136

FMSI# D136



Height Inches: 2.21 Height mm: 56.10 Length Inches: 5.01 Length mm: 127.30

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R136T15	0.591	15
ST41R136T15	0.591	15
ST45R136T15	0.591	15
ST43R136T15	0.591	15

Caliper Application

Fitments
The Brake Man, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R154

FMSI# D154



Inner



Outer

Height Inches: 2.87 / 2.60 Height mm: 78.9 / 66.0 Length Inches: 5.85 / 4.86 Length mm: 148.6 / 123.4

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	3058	0.59	15
Hawk	HB119	0.59	15
Mintex	1595-I	0.59	15
Mintex	1595-O	0.55	14
PFC	0154	0.55	14
SBS	3030	0.63	16
Wilwood	D154	0.52	13

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R154T14	0.551	14
ST41R154T14	0.551	14
ST45R154T14	0.551	14
ST44R154T14	0.551	14
ST43R154T14	0.551	14
ST77R154T14	0.551	14
ST31R154T14	0.551	14
ST42R154T14	0.551	14
ST38R154T14	0.551	14

Caliper Application

Fitments
Buick, Cadillac, Chevrolet, Chevy
Truck, GMC Truck, Oldsmobile,
Pontiac, StopTech, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
s/o	s/o				s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R200

FMSI# DR3



Height Inches: 2.95 Height mm: 74.93 Length Inches: 6.73 Length mm: 170.94

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	503	0.8	20
Hawk	HB102	0.8	20
Mintex	1795	0.8	20
PFC	7753	0.83	21
Wilwood	7520	0.8	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R200T17	0.669	17
ST47R200T20	0.787	20
ST41R200T17	0.669	17
ST41R200T20	0.787	20
ST45R200T17	0.669	17
ST45R200T20	0.787	20
ST44R200T17	0.669	17
ST43R200T17	0.669	17
ST43R200T20	0.787	20

Caliper Application

Fitments
AP Racing, JFZ, Outlaw, Race Master, Sierra, Stock Car Products, Wilwood GN

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R300

FMSI# DR1



Height Inches: Height mm: Length Inches: Length mm:

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	504	0.48	12
Hawk	100	0.48	12
Hawk	100	0.62	16
Mintex	1796	0.48	12
PFC	7752	0.43	11
Wilwood	7212	0.48	12
Wilwood	7216	0.62	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST38R300T12	0.472	12
ST38R300T16	0.630	16
ST43R300T12	0.472	12
ST43R300T16	0.630	16
ST45R300T12	0.472	12
ST45R300T16	0.630	16
ST41R300T12	0.472	12
ST41R300T16	0.630	16
ST47R301T12	0.472	12
ST47R300T16	0.630	16

Caliper Application

Fitments
Baer, Wilwood, Strange

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
			s/o			s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R301

FMSI# DR33



Height Inches: 2.30 Height mm: 58.42 Length Inches: 3.95 Length mm: 100.33

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB237	0.48	12
Hawk	HB541	0.63	16
Wilwood	7212	0.48	12
Wilwood	7216	0.62	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R301T12	0.472	12
ST47R301T16	0.630	16
ST41R301T12	0.472	12
ST41R301T16	0.630	16
ST45R301T12	0.472	12
ST45R301T16	0.630	16
ST43R301T12	0.472	12
ST43R301T16	0.630	16
ST31R301T12	0.472	12

Caliper Application

Fitments
Baer, Wilwood, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
s/o	s/o	s/o	s/o			s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R302

FMSI# DR41



Height Inches: 2.38 Height mm: 60.45 Length Inches: 3.95 Length mm: 100.33

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB100	0.48	12
Hawk	HB540	0.49	12
Wilwood	7112	0.49	12
Wilwood	7116	0.63	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R302T12	0.472	12
ST47R302T13	0.512	13
ST47R302T16	0.630	16
ST41R302T12	0.472	12
ST41R302T13	0.512	13
ST41R302T16	0.630	16
ST45R302T12	0.472	12
ST45R302T13	0.512	13
ST45R302T16	0.630	16
ST43R302T12	0.472	12
ST43R302T13	0.512	13
ST43R302AT16	0.630	16
ST43R302T16	0.630	16
ST77R302T12	0.472	12
ST31R302T12	0.472	12
ST31R302T13	0.512	13
ST31R302T16	0.630	16
ST38R302T12	0.472	12
ST42R302T12	0.472	12
ST42R302AT16	0.630	16

Caliper Application

Fitments
Audi, Peugeot, Volkswagen,
Aerospace, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
	s/o		s/o			s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R303

FMSI# DR22



Height Inches: 2.20 Height mm: 55.88 Length Inches: 3.95 Length mm: 100.33

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB542	0.6	15
Wilwood	7816	0.6	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R303T12	0.472	12
ST47R303T16	0.630	16
ST41R303T12	0.472	12
ST41R303T16	0.630	16
ST45R303T12	0.472	12
ST45R303T16	0.630	16
ST44R303T12	0.472	12
ST44R303T16	0.630	16
ST43R303T12	0.472	12
ST43R303T16	0.630	16
ST42R303T16	0.630	16

Caliper Application

Fitments

Wilwood, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
						s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R304

FMSI# R304



Height Inches: 2.49 Height mm: 63.25 Length Inches: 3.94 Length mm: 100.08

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB108	0.56	14

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R304T15	0.591	15
ST47R304T16	0.630	16
ST41R304T15	0.591	15
ST41R304T16	0.630	16
ST45R304T15	0.591	15
ST45R304T16	0.630	16
ST43R304T15	0.591	15
ST43R304T16	0.630	16

Caliper Application

Fitments
Alcon, AP Racing, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R305

FMSI# DR44



Height Inches: 2.36 Height mm: 59.94 Length Inches: 4.86 Length mm: 123.34

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB542	0.6	15
Wilwood	7816	0.6	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R305T12	0.472	12
ST47R305T17	0.669	17
ST41R305T12	0.472	12
ST41R305T17	0.669	17
ST45R305T12	0.472	12
ST45R305T17	0.669	17
ST44R305T17	0.669	17
ST43R305T12	0.472	12
ST43R305T17	0.669	17
ST42R305T17	0.669	17

Caliper Application

Fitments
Alcon 'R', Formula Mazda, Lotus,
Lucas Girling, BMW Junior
Series Open

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R394

FMSI# D394



Height Inches: 2.50 Height mm: 63.50 Length Inches: 6.15 Length mm: 156.21

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB135	0.76	19
Hawk	HPS394		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R394T19	0.748	19
ST41R394T19	0.748	19
ST45R394T19	0.748	19
ST44R394T19	0.748	19
ST43R394T19	0.748	19

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R396

FMSI# D396



Height Inches: 1.77 Height mm: 45.00 Length Inches: 4.85 Length mm: 123.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS396		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R396T16	0.630	16

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R400

FMSI# D5



Height Inches: 2.32 Height mm: 58.93 Length Inches: 2.76 Length mm: 70.10

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	CP2399D43	0.86	2
Ferodo	825	0.56	15
Hawk	HB108	0.56	14
Mintex	20	0.56	15
PFC	7720	0.59	15
Wilwood	5214	0.55	14
Wilwood	5222	0.86	22

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R400T15	0.591	15
ST41R400T15	0.591	15
ST45R400T15	0.591	15
ST43R400T15	0.591	15
ST31R400T15	0.591	15

Caliper Application

Fitments
AP Racing, Formula Ford 2000,
Lucas Girling

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o		s/o		s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R401

FMSI# D64



Height Inches: 2.03 Height mm: 51.56 Length Inches: 2.34 Length mm: 59.44

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	CP2195D38	0.39	10
Ferodo	342	0.39	10
Hawk	HB117	0.39	10
Mintex	19	0.39	10
PFC	7719	0.43	11
Wilwood	5310	0.39	10

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R401T10	0.394	10
ST47R401T11	0.433	11
ST41R401T10	0.394	10
ST41R401T11	0.433	11
ST45R401T10	0.394	10
ST45R401T11	0.433	11
ST44R401T11	0.433	11
ST43R401T10	0.394	10
ST43R401T11	0.433	11
ST31R401T10	0.394	10

Caliper Application

Fitments
Alcon, AP Racing, Formula Ford 1600

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R412

FMSI# D412



Height Inches: 2.03 Height mm: 51.56 Length Inches: 6.73 Length mm: 170.94

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	1224	0.6	15
Hawk	HB111	0.6	15
Hawk	HPS412		
PFC	0412	0.62	16
SBS	3018	0.62	16
Wilwood	D412	0.6	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R412T15	0.591	15
ST47R412T16	0.630	16
ST41R412T15	0.591	15
ST41R412T16	0.630	16
ST45R412T15	0.591	15
ST45R412T16	0.630	16
ST44R412T15	0.591	15
ST44R412T16	0.630	16
ST43R412T15	0.591	15
ST43R412T16	0.630	16

Caliper Application

Fitments

Ford, GM, PBR

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R413

FMSI# D413



Height Inches: 2.17 Height mm: 55.12 Length Inches: 4.48 Length mm: 113.79

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB112	0.54	14
Hawk	HPS413		
PFC	0413	0.53	13
SBS	3020	0.52	13
Wilwood	D413	0.53	13

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R413T12	0.472	12
ST41R413T12	0.472	12
ST45R413T12	0.472	12
ST43R413T12	0.472	12
ST38R413T12	0.472	12
ST42R413T12	0.472	12

Caliper Application

Fitments
Chevrolet Camaro (1988–1997),
Corvette (1988–1996); Pontiac
Firebird (1988–1997); Shelby
Series 1 (1999–2000)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
	s/o		s/o			s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R491

FMSI# D491



Height Inches: 2.31 Height mm: 58.67 Length Inches: 4.96 Length mm: 125.98

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB278	0.58	15
PFC	0491	0.59	15
SBS	3034	0.59	15
Wilwood	D491	0.53	14

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R491T12	0.472	12
ST47R491T13	0.512	13
ST41R491T12	0.472	12
ST41R491T13	0.512	13
ST45R491T12	0.472	12
ST45R491T13	0.512	13
ST43R491T12	0.472	12
ST43R491T13	0.512	13
ST42R491T12	0.472	12

Caliper Application

Fitments
Dodge Viper

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R500

FMSI# R500



Height Inches: 3.26 Height mm: 82.80 Length Inches: 5.12 Length mm: 130.05

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	CP2749D66	0.98	25
Ferodo	3059	1.1	28
Hawk	HB106	0.98	25
Hawk	HB224	1.12	28
Mintex	1247	0.98	25
PFC	7702	0.98	25
Wilwood	9425	0.98	25
Wilwood	9428	1.1	28

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R500T16	0.630	16
ST47R500T20	0.787	20
ST47R500T25	0.984	25
ST47R500T29	1.142	29
ST41R500T16	0.630	16
ST41R500T20	0.787	20
ST41R500T25	0.984	25
ST41R500T29	1.142	29
ST45R500T16	0.630	16
ST45R500T17	0.669	17
ST45R500T20	0.787	20
ST45R500T25	0.984	25
ST45R500T29	1.142	29
ST44R500T16	0.630	16
ST44R500T17	0.669	17
ST44R500T20	0.787	20
ST44R500T25	0.984	25
ST43R500T16	0.630	16
ST43R500T17	0.669	17
ST43R500T18	0.709	18
ST43R500T20	0.787	20
ST43R500T25	0.984	25
ST43R500T29	1.142	29
ST77R500T16	0.630	16
ST42R500T16	0.630	16
ST42R500T20	0.787	20

Caliper Application

Fitments
Alcon, AP Racing, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o					s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R501

FMSI# DR19



Height Inches: 3.26 Height mm: 82.80 Length Inches: 5.12 Length mm: 130.05

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Ferodo	3060	1.1	28
Hawk	HB224	1.12	28
PFC	7712	0.98	25
Wilwood	9525	0.98	25
Wilwood	9528	1.1	28

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R501T25	0.984	25
ST47R501T28	1.102	28
ST41R501T25	0.984	25
ST41R501T28	1.102	28
ST45R501T25	0.984	25
ST45R501T28	1.102	28
ST43R501T25	0.984	25
ST43R501T28	1.102	28

Caliper Application

Fitments
Alcon, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R525

FMSI# D525



Height Inches: 1.78 Height mm: 45.21 Length Inches: 4.34 Length mm: 110.24

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB148	0.56	14
Hawk	HPS525		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R525T14	0.551	14
ST41R525T14	0.551	14
ST45R525T14	0.551	14
ST43R525T14	0.551	14

Caliper Application

Fitments
Mazda Miata (Front)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o		s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R537

FMSI# D537



Height Inches: 1.87 Height mm: 47.50 Length Inches: 3.49 Length mm: 88.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS537		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R537T15	0.591	15
ST77R537T15	0.591	15

Caliper Application

Fitments
Honda, Acura, Suzuki

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R558

FMSI# D558



Height Inches: 2.25 Height mm: 57.20 Length Inches: 5.96 Length mm: 151.40

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS558		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R558T17	0.669	17
ST43R558T17	0.669	17

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R561

FMSI# R561



Height Inches: 3.14 Height mm: 79.76 Length Inches: 5.50 Length mm: 139.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	0084	0.71	18
Alcon	84	0.71	18
Brembo	07.6955.XX		
Ferodo	3053	1.08	28
Ferodo	3053	1.08	28
Hawk	221	0.98	26
Hawk	HB221	0.98	26
PFC	7775	1.1	28
Wilwood	9816	0.63	16
Wilwood	9828	1.1	28
Wilwood	9830	1.2	30

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R561T18	0.709	18
ST47R561T20	0.787	20
ST47R561T28	1.102	28
ST41R561T18	0.709	18
ST41R561T20	0.787	20
ST41R561T28	1.102	28
ST45R561T18	0.709	18
ST45R561T28	1.102	28
ST43R561T18	0.709	18
ST43R561T20	0.787	20
ST43R561T28	1.102	28
ST38R561T18	0.709	18
ST42R561T20	0.787	20

Caliper Application

Fitments
Alcon, AP Racing, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R562

FMSI# R562



Height Inches: 2.42 Height mm: 61.47 Length Inches: 5.48 Length mm: 139.19

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R562T16	0.630	16
ST47R562T20	0.787	20
ST41R562T16	0.630	16
ST41R562T20	0.787	20
ST45R562T16	0.630	16
ST45R562T20	0.787	20
ST43R562T16	0.630	16
ST43R562T20	0.787	20

Caliper Application

Fitments

AP Racing

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R592

FMSI# D592



Height Inches: 2.72 Height mm: 69.09 Length Inches: 4.32 Length mm: 109.73

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Brembo	07.5146.XX		
Ferodo	1348	0.66	17
Hawk	HB194	0.57	15
Hawk	HPS592		
Mintex	1968	0.55	14
PFC	592	0.66	17
Wilwood	D592	0.66	17

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R592T15	0.591	15
ST47R592T16	0.630	16
ST47R592T17	0.669	17
ST41R592T15	0.591	15
ST41R592T16	0.630	16
ST41R592T17	0.669	17
ST45R592T15	0.591	15
ST45R592T16	0.630	16
ST45R592T17	0.669	17
ST44R592T15	0.591	15
ST43R592T15	0.591	15
ST43R592T16	0.630	16
ST43R592T17	0.669	17
ST17R592T15	0.591	15
ST38R592T15	0.591	15
ST42R592T15	0.591	15
ST42R592T16	0.630	16
ST39R592T17	0.669	17

Caliper Application

Fitments
Dodge Viper (1992–2002); Ferrari
360 (2000–2004); Lotus Esprit
(1997–2003)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
					s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R593

FMSI# D1651



Height Inches: 2.79 Height mm: 70.87 Length Inches: 4.90 Length mm: 124.46

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Brembo	07.B134.21		
Centric	102.13790		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R593T15	0.591	15
ST47R593T17	0.669	17
ST41R593T15	0.591	15
ST41R593T17	0.669	17
ST45R593T15	0.591	15
ST45R593T17	0.669	17
ST44R593T17	0.669	17
ST43R593T15	0.591	15
ST43R593T17	0.669	17
ST38R593T15	0.591	15

Caliper Application

Fitments
Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R600

FMSI# DR39



Height Inches: 2.60 Height mm: 66.04 Length Inches: 6.44 Length mm: 163.58

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	5820	1.17	30
Brembo	07.7614.XX		
Ferodo	3040	1.18	30
Hawk	HB331	0.89	23
PFC	7773	1.17	30
Wilwood	8430	1.17	30

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R600T18	0.709	18
ST47R600T30	1.181	30
ST41R600T18	0.709	18
ST41R600T30	1.181	30
ST45R600T18	0.709	18
ST45R600T30	1.181	30
ST43R600T18	0.709	18
ST43R600T30	1.181	30

Caliper Application

Fitments
Alcon, AP Racing, Brembo,
Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
		s/o	s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R601

FMSI# R601



Height Inches: 3.00 Height mm: 76.20 Length Inches: 6.45 Length mm: 163.83

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB486	0.94	24

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R601T30	1.181	30
ST47R601T32	1.260	32
ST41R601T30	1.181	30
ST41R601T32	1.260	32
ST45R601T30	1.181	30
ST45R601T32	1.260	32
ST43R601T30	1.181	30
ST43R601T32	1.260	32

Caliper Application

Fitments
Alcon

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R602

FMSI# DR45



Height Inches: 2.99 Height mm: 75.90 Length Inches: 6.44 Length mm: 163.60

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R602T18	0.709	18
ST47R602T20	0.787	20
ST47R602T32	1.260	32
ST41R602T18	0.709	18
ST41R602T20	0.787	20
ST41R602T32	1.260	32
ST45R602T18	0.709	18
ST45R602T20	0.787	20
ST45R602T32	1.260	32
ST44R602T18	0.709	18
ST44R602T20	0.787	20
ST43R602T18	0.709	18
ST43R602T20	0.787	20
ST43R602T32	1.260	32
ST42R602T18	0.709	18

Caliper Application

Fitments

Alcon

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R605

FMSI# R605



Height Inches: 2.62 Height mm: 66.55 Length Inches: 6.45 Length mm: 163.83

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R605T18	0.709	18
ST47R605T28	1.102	28
ST47R605T32	1.260	32
ST41R605T18	0.709	18
ST41R605T28	1.102	28
ST41R605T32	1.260	32
ST45R605T18	0.709	18
ST45R605T28	1.102	28
ST45R605T32	1.260	32
ST43R605T18	0.709	18
ST43R605T28	1.102	28
ST43R605T32	1.260	32
ST39R605T18	0.709	18

Caliper Application

Fitments
brembo, AP Racing

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R608

FMSI# D608



Height Inches: 2.58 Height mm: 65.53 Length Inches: 3.85 Length mm: 97.79

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4436	0.65	17
Ferodo	451	0.71	18
Hawk	HB170	0.65	17
PFC	0345	0.67	17
SBS	3041	0.67	17

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R608T16	0.630	16
ST47R608T17	0.669	17
ST41R608T16	0.630	16
ST41R608T17	0.669	17
ST45R608T16	0.630	16
ST45R608T17	0.669	17
ST43R608T16	0.630	16
ST43R608T17	0.669	17
ST43R608T25	0.984	25
ST42R608T16	0.630	16
ST39R608T16	0.630	16

Caliper Application

Fitments
Alcon 'P', Audi, Brembo, Ferrari, Porsche, Chrysler, Dodge, Eagle, Plymouth

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R609

FMSI# D609



Height Inches: 2.79 Height mm: 70.87 Length Inches: 5.19 Length mm: 131.83

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	447	0.67	17
Ferodo	560	0.71	18
Hawk	HB141	0.67	17
PFC	0447	0.67	17
SBS	3045	0.71	18

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R609T16	0.630	16
ST47R609T17	0.669	17
ST41R609T16	0.630	16
ST41R609T17	0.669	17
ST45R609T16	0.630	16
ST45R609T17	0.669	17
ST43R609T16	0.630	16
ST43R609T17	0.669	17
ST38R609T16	0.630	16
ST42R609T16	0.630	16

Caliper Application

Fitments
Audi, Brembo, Ferrari, Porsche,
StopTech

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
			s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R623

FMSI# D623



Inner



Outer

Height Inches: 2.66 Height mm: 67.60 Length Inches: 5.82 Length mm: 147.80

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R623T16	0.630	16
ST41R623T16	0.630	16
ST45R623T16	0.630	16
ST43R623T16	0.630	16

Caliper Application

Fitments
GM (Chevy, Pontiac, Cadillac, Others)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R627

FMSI# D627



Height Inches: 2.35 Height mm: 59.69 Length Inches: 3.53 Length mm: 89.66

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB195	0.64	16
Hawk	HPS627		
Wilwood	D627	0.59	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R627T15	0.591	15
ST41R627T15	0.591	15
ST45R627T15	0.591	15
ST43R627T15	0.591	15
ST42R627T15	0.591	15

Caliper Application

Fitments
Ford Mustang (1994–2004); Panoz AIV Roadster (1999–2000), Esperante (2001–2007)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
			s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R635

FMSI# D635



Height Inches: 2.25 Height mm: 57.15 Length Inches: 4.34 Length mm: 110.24

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB149	0.51	13
Hawk	HPS635		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R635T13	0.512	13
ST41R635T13	0.512	13
ST45R635T13	0.512	13
ST43R635T13	0.512	13
ST77R635T13	0.512	13
ST42R635T13	0.512	13

Caliper Application

Fitments
Mazda Miata (1994–1997, 1999–2005)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o		s/o			s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R639

FMSI# D639



Height Inches: 2.90 Height mm: 73.66 Length Inches: 4.74 Length mm: 120.40

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	639	0.66	17
Ferodo	1298	0.66	17
Hawk	HB181	0.66	17
Mintex	1752	0.7	18
PFC	0639	0.67	17
Wilwood	D639	0.66	17

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R639T17	0.669	17
ST41R639T17	0.669	17
ST45R639T17	0.669	17
ST44R639T17	0.669	17
ST43R639T17	0.669	17

Caliper Application

Fitments
Brembo, BMW, Nissan

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R681

FMSI# D681



Height Inches: 2.88 Height mm: 73.20 Length Inches: 6.16 Length mm: 156.50

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS681		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R681T18	0.709	18
ST77R681T18	0.709	18

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R700

FMSI# DR2



Height Inches: 2.81 Height mm: 71.37 Length Inches: 5.25 Length mm: 133.35

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	0084	0.71	18
Ferodo	501	0.8	20
Hawk	HB101	0.8	20
Mintex	1795	0.8	20
PFC	7751	0.8	20
Wilwood	7320	0.8	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R700T16	0.630	16
ST47R700T18	0.709	18
ST47R700T20	0.787	20
ST41R700T16	0.630	16
ST41R700T18	0.709	18
ST41R700T20	0.787	20
ST45R700T16	0.630	16
ST45R700T18	0.709	18
ST45R700T20	0.787	20
ST44R700T20	0.787	20
ST43R700T16	0.630	16
ST43R700T18	0.709	18
ST43R700T20	0.787	20
ST38R700T20	0.787	20
ST42R700T20	0.787	20

Caliper Application

Fitments
Aerospace, AP Racing, Coleman, JFZ, Outlaw, Sierra, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
						s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R701

FMSI# DR21



Height Inches: 2.42 Height mm: 61.47 Length Inches: 5.24 Length mm: 133.10

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB521	0.8	20
Wilwood	7416	0.63	16
Wilwood	7420	0.8	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R701T16	0.630	16
ST47R701T20	0.787	20
ST41R701T16	0.630	16
ST41R701T20	0.787	20
ST45R701T16	0.630	16
ST45R701T20	0.787	20
ST43R701T16	0.630	16
ST43R701T20	0.787	20
ST77R701T20	0.787	20
ST31R701T16	0.630	16
ST38R701T20	0.787	20
ST42DR701T20	0.787	20
ST42R701T20	0.787	20

Caliper Application

Fitments
Wilwood, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
			S/O				


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R731

FMSI# D731



Height Inches: 2.47 Height mm: 62.74 Length Inches: 7.22 Length mm: 183.39

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB247	0.58	15
PFC	0731	0.57	15
SBS	3019	0.57	15
Wilwood	D731	0.57	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R731T15	0.591	15
ST41R731T15	0.591	15
ST45R731T15	0.591	15
ST44R731T15	0.591	15
ST44R731T18	0.709	18
ST43R731AT15	0.591	15
ST43R731T15	0.591	15
ST43R731T17	0.669	17
ST43R731T20	0.787	20

Caliper Application

Fitments
Cadillac XLR (2004–2009); Chevrolet Corvette (1997–2013)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R732

FMSI# D732



Height Inches: 1.46 Height mm: 37.08 Length Inches: 4.79 Length mm: 121.67

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB248	0.65	16
Hawk	HPS732		
PFC	0732	0.67	17
SBS	3021	0.64	16
Wilwood	D732	0.64	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R732T16	0.630	16
ST41R732T16	0.630	16
ST45R732T16	0.630	16
ST44R732T16	0.630	16
ST43R732T16	0.630	16
ST77R732T16	0.630	16

Caliper Application

Fitments
Chevrolet (Corvette)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o					s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R735

FMSI# DR20



Height Inches: 1.83 Height mm: 46.48 Length Inches: 3.93 Length mm: 99.82

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	735	0.8	20
Brembo	07.5064.XX		
Ferodo	1079	0.63	16
Ferodo	3041	0.67	17
Ferodo	308	0.78	20
Hawk	HB167	0.63	16
Mintex	1553	0.8	20
PFC	7735	0.63	16
Wilwood	8316	0.63	16
Wilwood	8320	0.78	28
Wilwood	8322	0.85	22

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R735T20	0.787	20
ST41R735T20	0.787	20
ST45R735T20	0.787	20
ST43R735T20	0.787	20
ST42R735T16	0.630	16
ST42DR735T20	0.787	20
ST42R735T20	0.787	20

Caliper Application

Fitments
Aerospace, JFZ, M-W, Outlaw,
Sierra, Strange, Wilwood DLS,
US Brake

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o		s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R736

FMSI# DR23



Height Inches: 1.83 Height mm: 46.48 Length Inches: 3.93 Length mm: 99.82

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB351	0.62	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R736T22	0.866	22
ST41R736T16	0.630	16
ST41R736T20	0.787	20
ST41R736T22	0.866	22
ST45R736T22	0.866	22
ST43R736T22	0.866	22

Caliper Application

Fitments
Alcon, Brembo, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o		s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R738

FMSI# D76



Height Inches: 2.04 Height mm: 51.82 Length Inches: 4.25 Length mm: 107.95

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS738		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R738T16	0.630	16
ST31R738T16	0.630	16
ST38R76T15	0.591	15

Caliper Application

Fitments
Ford Truck, Mazda

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R767

FMSI# R767



Height Inches: 2.20 Height mm: 55.88 Length Inches: 5.21 Length mm: 132.33

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4463	0.62	16
APR	CP3215D50	0.67	17
Ferodo	216	0.67	17
Hawk	HB110	0.65	17
Mintex	1289	0.78	20
PFC	7767	0.67	17
Wilwood	8517	0.67	17
Wilwood	8521	0.82	21

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R767T17	0.669	17
ST47R767T20	0.787	20
ST47R767T21	0.827	21
ST41R767T17	0.669	17
ST41R767T20	0.787	20
ST41R767T21	0.827	21
ST45R767T17	0.669	17
ST45R767T20	0.787	20
ST45R767T21	0.827	21
ST44R767T17	0.669	17
ST43R767T17	0.669	17
ST43R767T20	0.787	20
ST43R767T21	0.827	21
ST31R767T17	0.669	17
ST42R767T17	0.669	17

Caliper Application

Fitments
AP Racing

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
					s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R770

FMSI# R770



Height Inches: 2.87 Height mm: 72.90 Length Inches: 5.50 Length mm: 139.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Brembo	07.5169.XX		
Ferodo	3024	0.79	20
Ferodo	3029	0.98	25
Ferodo	3030	1.1	28
Hawk	130	0.78	20
PFC	7770	1.02	26
Wilwood	9720	0.79	20
Wilwood	9725	0.98	25
Wilwood	9728	1.1	28

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R770T16	0.630	16
ST47R770T18	0.709	18
ST47R770T20	0.787	20
ST47R770T25	0.984	25
ST41R770T16	0.630	16
ST41R770T18	0.709	18
ST41R770T20	0.787	20
ST45R770T16	0.630	16
ST45R770T18	0.709	18
ST45R770T20	0.787	20
ST45R770T25	0.984	25
ST43R770T16	0.630	16
ST43R770T18	0.709	18
ST43R770T20	0.787	20
ST42R770T20	0.787	20

Caliper Application

Fitments
Brembo, Wilwood, Subaru

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R771

FMSI# DR13



Height Inches: 2.82 Height mm: 71.63 Length Inches: 5.49 Length mm: 139.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Brembo	07.7859.XX		
Hawk	HB130	0.78	20
Mintex	1981	0.94	24
PFC	7771	1.02	26
Wilwood	7625	0.98	25

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R771T16	0.630	16
ST47R771T18	0.709	18
ST41R771T16	0.630	16
ST41R771T18	0.709	18
ST45R771T16	0.630	16
ST45R771T18	0.709	18
ST43R771T16	0.630	16
ST43R771T18	0.709	18
ST38R771T18	0.709	18

Caliper Application

Fitments
Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o	s/o	s/o	s/o

s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R776

FMSI# D776



Height Inches: 3.39 Height mm: 86.10 Length Inches: 4.77 Length mm: 121.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R776T18	0.709	18

Caliper Application

Fitments
GM (Chevy, Pontiac, Cadillac, Others)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R780

FMSI# D810



Height Inches: 2.64 Height mm: 67.06 Length Inches: 5.18 Length mm: 131.57

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	780	0.71	18
Brembo	07.4865.XX		
Ferodo	1281	0.71	18
Hawk	HB193	0.67	17
Hawk	HPS810		
Mintex	1976	0.62	16
PFC	7780	0.71	18
SBS	3038	0.71	18
Wilwood	5518	0.71	18

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R780T18	0.709	18
ST41R780T18	0.709	18
ST45R780T18	0.709	18
ST44R780T18	0.709	18
ST43R780T18	0.709	18
ST31R780T16	0.630	16
ST31R780T18	0.709	18
ST42R780T18	0.709	18

Caliper Application

Fitments
F40/F50/XJR/XK/XKR

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	


s/o=special order




Fitments listed for reference only. Custom thickness available upon request.

R781

FMSI# D781



Inner



Outer

Height Inches: 2.27 Height mm: 57.70 Length Inches: 5.92 Length mm: 150.40

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS781		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R781T16	0.630	16
ST43R781T16	0.630	16

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R801

FMSI# DR14



Height Inches: 2.45 Height mm: 62.23 Length Inches: 3.13 Length mm: 79.50

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	747	0.71	18
Brembo	07.7884.XX		
Ferodo	3033	0.82	21
Hawk	HB186	0.77	20
Hawk	HB609	0.57	15
Mintex	1656	0.71	18
PFC	7743	0.71	18
Wilwood	8018	0.69	18
Wilwood	8020	0.78	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R801T16	0.630	16
ST41R801T16	0.630	16
ST41R801T18	0.709	18
ST45R801T16	0.630	16
ST43R801T16	0.630	16
ST42R801T18	0.709	18

Caliper Application

Fitments
Aerospace, Brembo, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o		s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R804

FMSI# DR34



Height Inches: 2.06 Height mm: 52.32 Length Inches: 4.47 Length mm: 113.54

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4463	0.62	16
APR	CP3345D44	0.62	16
Ferodo	219	0.62	16
Hawk	126	0.55	14
Hawk	HB192	0.62	16
PFC	0008	0.51	13
PFC	7745	0.62	16
SBS	3059	0.55	14
Wilwood	8716	0.62	16
Wilwood	D8	0.49	12

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R804T16	0.630	16
ST41R804T16	0.630	16
ST45R804T16	0.630	16
ST43R804T16	0.630	16

Caliper Application

Fitments
Alcon, AP Racing, Formula
Atlantic

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R805

FMSI# DR58



Height Inches: 1.88 Height mm: 47.75 Length Inches: 4.47 Length mm: 113.54

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4463	0.63	16
APR	CP234D43	0.63	16
Ferodo	218	0.63	16
Hawk	HB107	0.63	16
PFC	7740	0.63	16
Wilwood	5616	0.63	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R805T16	0.630	16
ST47R805T18	0.709	18
ST41R805T16	0.630	16
ST41R805T18	0.709	18
ST45R805T16	0.630	16
ST45R805T18	0.709	18
ST43R805T16	0.630	16
ST43R805T18	0.709	18

Caliper Application

Fitments
Alcon, AP Racing, Formula
Atlantic, Lotus Rear

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R806

FMSI# DR73



Height Inches: 2.50 Height mm: 63.50 Length Inches: 3.39 Length mm: 86.11

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	CP5148D46	0.59	15
APR	CP5248D45	0.8	20
PFC	7804	0.8	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R806T18	0.709	18
ST47R806T20	0.787	20
ST41R806T20	0.787	20
ST45R806T20	0.787	20
ST43R806T20	0.787	20
ST39R806T15	0.591	15

Caliper Application

Fitments
Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R809

FMSI# DR13



Height Inches: 2.82 Height mm: 71.63 Length Inches: 5.49 Length mm: 139.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
APR	CP5788D48	0.8	20
Hawk	HB688	0.71	18
Mintex	1981	0.94	24
Wilwood	5916	0.78	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R809T20	0.787	20
ST47R809T25	0.984	25
ST41R809T25	0.984	25
ST45R809T20	0.787	20
ST45R809T25	0.984	25
ST43R809T16	0.630	16
ST43R809T25	0.984	25

Caliper Application

Fitments
AP Racing

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R820

FMSI# R820



Height Inches: 2.60 Height mm: 65.94 Length Inches: 6.45 Length mm: 163.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R820T22	0.866	22
ST47R820T25	0.984	25
ST47R820T29	1.142	29
ST41R820T25	0.984	25
ST41R820T29	1.142	29
ST45R820T25	0.984	25
ST45R820T29	1.142	29
ST43R820T25	0.984	25
ST43R820T29	1.142	29
ST38R820T29	1.142	29
ST39R820T29	1.142	29

Caliper Application

Fitments
Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R825

FMSI# D825



Height Inches: 2.95 Height mm: 74.90 Length Inches: 8.12 Length mm: 206.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R825T25	0.984	25
ST47R825T29	1.142	29
ST41R825T25	0.984	25
ST41R825T29	1.142	29
ST45R825T25	0.984	25
ST45R825T29	1.142	29
ST43R825T25	0.984	25
ST43R825T29	1.142	29

Caliper Application

Fitments
Porsche, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o

s/o=special order




Fitments listed for reference only. Custom thickness available upon request.

R829

FMSI# D829



Inner



Outer

Height Inches: 2.06 Height mm: 52.30 Length Inches: 5.33 Length mm: 135.40

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS829		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R829T16	0.630	16
ST43R829T16	0.630	16

Caliper Application

Fitments
Honda (Civic, S2000), Acura

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R883

FMSI# DR43



Height Inches: 1.97 Height mm: 50.04 Length Inches: 2.74 Length mm: 69.60

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R883T11	0.433	11
ST43R883T11	0.433	11

Caliper Application

Fitments
Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o

s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R914

FMSI# D914



Height Inches: 2.23 Height mm: 56.60 Length Inches: 5.58 Length mm: 141.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS914		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R914T17	0.669	17

Caliper Application

Fitments
Honda

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R921

FMSI# DR28



Height Inches: 3.31 Height mm: 84.07 Length Inches: 5.87 Length mm: 149.10

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB717	0.66	17

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R921T16	0.630	16
ST47R921T18	0.709	18
ST41R921T16	0.630	16
ST41R921T18	0.709	18
ST45R921T16	0.630	16
ST45R921T18	0.709	18
ST44R921T18	0.709	18
ST43R921T16	0.630	16
ST43R921T18	0.709	18
ST31R921T18	0.709	18
ST42R921T18	0.709	18

Caliper Application

Fitments
AP Racing

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R922

FMSI# DR42



Height Inches: 2.87 Height mm: 72.90 Length Inches: 5.87 Length mm: 149.10

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
EBC	DP3054		
Wilwood	6617	0.67	17

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R922T20	0.787	20
ST41R922T20	0.787	20
ST45R922T20	0.787	20
ST43R922T20	0.787	20

Caliper Application

Fitments
Wilwood W4A/W6A

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R961

FMSI# D961



Height Inches: 2.58 Height mm: 65.53 Length Inches: 3.01 Length mm: 76.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB180	0.56	14
Hawk	HPS961		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R961T13	0.512	13
ST47R961T14	0.551	14
ST41R961T13	0.512	13
ST41R961T14	0.551	14
ST45R961T13	0.512	13
ST45R961T14	0.551	14
ST43R961T13	0.512	13
ST43R961T14	0.551	14
ST77R961T13	0.512	13
ST31R961T13	0.512	13
ST31R961T14	0.551	14
ST39R961T13	0.512	13
ST39R961T14	0.551	14

Caliper Application

Fitments
Infiniti G35 (2003–2004); Mitsubishi Lancer (2003–2006); Nissan 350Z (2003–2009); Subaru BRZ (2017), Impreza (2004–2014), WRX (2014), WRX STI (2015–2016)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o			


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1000

FMSI# DR25



Height Inches: 2.31 Height mm: 58.67 Length Inches: 3.13 Length mm: 79.38

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB611	0.49	12
Wilwood	7912	0.5	13

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1000T13	0.512	13
ST41R1000T13	0.512	13
ST45R1000T13	0.512	13
ST43R1000T13	0.512	13
ST77R1000T13	0.512	13
ST31R1000T13	0.512	13
ST42R1000T13	0.512	13

Caliper Application

Fitments
Wilwood, Others

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
			s/o			


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1001

FMSI# D1001



Height Inches: 3.04 Height mm: 77.22 Length Inches: 5.19 Length mm: 131.83

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB193	0.67	17
Hawk	HPS1001		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1001T15	0.591	15
ST47R1001T16	0.630	16
ST47R1001T18	0.709	18
ST41R1001T15	0.591	15
ST41R1001T16	0.630	16
ST41R1001T18	0.709	18
ST45R1001T15	0.591	15
ST45R1001T16	0.630	16
ST45R1001T18	0.709	18
ST44R1001T15	0.591	15
ST43R1001T15	0.591	15
ST43R1001T16	0.630	16
ST43R1001T18	0.709	18
ST31R1001T15	0.591	15

Caliper Application

Fitments
Brembo, Mitsubishi Evolution, Subaru WRX

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
					s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1017

FMSI# D1017



Height Inches: 2.08 Height mm: 52.83 Length Inches: 3.43 Length mm: 87.12

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB364	0.58	15

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1017T15	0.591	15
ST47R1017T16	0.630	16
ST41R1017T15	0.591	15
ST41R1017T16	0.630	16
ST45R1017T15	0.591	15
ST45R1017T16	0.630	16
ST43R1017T15	0.591	15
ST43R1017T16	0.630	16
ST31R1017T16	0.630	16

Caliper Application

Fitments
Audi, Peugeot, Volkswagen

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1029

FMSI# D1029



Height Inches: 2.93 Height mm: 74.42 Length Inches: 3.76 Length mm: 95.50

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1029T14	0.551	14
ST41R1029T14	0.551	14
ST45R1029T14	0.551	14
ST43R1029T14	0.551	14
ST43R1029T16	0.630	16
ST31R1029T16	0.630	16

Caliper Application

Fitments

Audi

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1053

FMSI# D1053



Height Inches: 2.72 Height mm: 69.09 Length Inches: 4.32 Length mm: 109.73

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1053		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R1053T14	0.551	14

Caliper Application

Fitments
Cadillac, Dodge, Chevrolet

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R1061

FMSI# D1061



Inner



Outer

Height Inches: 2.50 Height mm: 63.50 Length Inches: 6.11 Length mm: 155.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1061		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1061T19	0.748	19
ST43R1061T19	0.748	19
ST77R1061T19	0.748	19

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o			s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1078

FMSI# D1078



Height Inches: 2.51 Height mm: 63.80 Length Inches: 6.19 Length mm: 157.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1078		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1078T17	0.669	17
ST77R1078T17	0.669	17

Caliper Application

Fitments
Subaru, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1081

FMSI# D1081



Height Inches: 2.15 Height mm: 54.60 Length Inches: 6.40 Length mm: 162.60

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1081		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1081T17	0.669	17

Caliper Application

Fitments
Ford (Mustang)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1082

FMSI# D1082



Height Inches: 1.87 Height mm: 47.50 Length Inches: 4.44 Length mm: 112.80

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1082		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1082T17	0.669	17
ST77R1082T17	0.669	17

Caliper Application

Fitments
Ford (Mustang)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o

s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1124

FMSI# D1124



Height Inches: 1.57 Height mm: 39.90 Length Inches: 4.35 Length mm: 110.50

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1124		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1124T16	0.630	16
ST43R1124T16	0.630	16
ST77R1124T16	0.630	16

Caliper Application

Fitments
Subaru, Toyota, Scion

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o			s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1130

FMSI# D1130



Height Inches: 4.32 Height mm: 109.70 Length Inches: 6.93 Length mm: 176.00

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1130T18	0.709	18
ST77R1130T18	0.709	18

Caliper Application

Fitments
Porsche, Audi

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R1170

FMSI# D1170



Inner



Outer

Height Inches: 2.29 Height mm: 58.20 Length Inches: 4.85 Length mm: 123.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1170		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R1170T16	0.630	16

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1185

FMSI# D1185



Height Inches: 2.14 Height mm: 54.36 Length Inches: 2.32 Length mm: 58.90

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB531	0.57	14

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1185T14	0.551	14
ST41R1185T14	0.551	14
ST45R1185T14	0.551	14
ST43R1185T14	0.551	14
ST31R1185AT14	0.551	14
ST31R1185T14	0.551	14

Caliper Application

Fitments
Chevrolet Z06 Corvette (Front) – 12 Piece Set

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o	s/o	s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1185A

FMSI# D1185A



Height Inches: 2.14 Height mm: 54.36 Length Inches: 2.32 Length mm: 58.90

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1185TA14	0.551	14
ST41R1185TA14	0.551	14
ST45R1185TA14	0.551	14
ST43R1185TA14	0.551	14
ST31R1185TA14	0.551	14

Caliper Application

Fitments
Chevrolet Z06 Corvette (Rear) – 8 Piece Set

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o	s/o	s/o


s/o=special order




Fitments listed for reference only. Custom thickness available upon request.

R1260

FMSI# D918



Inner



Outer

Height Inches: 2.69 Height mm: 68.30 Length Inches: 6.11 Length mm: 155.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1260		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1260T19	0.748	19
ST43R1260T19	0.748	19
ST77R1260T19	0.748	19

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o			s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R1267

FMSI# D1171



Inner



Outer

Height Inches: 1.72 Height mm: 43.70 Length Inches: 4.85 Length mm: 123.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1267		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R1267T16	0.630	16

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1291

FMSI# D1291



Height Inches: 3.67 Height mm: 93.22 Length Inches: 7.38 Length mm: 187.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB731		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1291T16	0.630	16
ST47R1291T18	0.709	18
ST41R1291T16	0.630	16
ST41R1291T18	0.709	18
ST45R1291T16	0.630	16
ST45R1291T18	0.709	18
ST45R1291T20	0.787	20
ST44R1291T16	0.630	16
ST44R1291T18	0.709	18
ST43R1291T16	0.630	16
ST43R1291T18	0.709	18
ST43R1291T20	0.787	20
ST31R1291T16	0.630	16

Caliper Application

Fitments
Audi, Mercedes, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o				s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1368

FMSI# D1368



Height Inches: 2.50 Height mm: 63.50 Length Inches: 3.41 Length mm: 86.61

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB615		
Hawk	HPS1368		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1368T15	0.591	15
ST41R1368T15	0.591	15
ST45R1368T15	0.591	15
ST43R1368T15	0.591	15
ST31R1368T15	0.591	15

Caliper Application

Fitments
Lancer Evolution

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1382

FMSI# D1382



Height Inches: 3.64 Height mm: 92.46 Length Inches: 7.47 Length mm: 189.74

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1382		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1382T16	0.630	16
ST47R1382T18	0.709	18
ST41R1382T18	0.709	18
ST45R1382T18	0.709	18
ST43R1382T16	0.630	16
ST43R1382T16	0.630	16
ST43R1382T18	0.709	18
ST77R1382T16	0.630	16
ST31R1382T16	0.630	16

Caliper Application

Fitments
Nissan

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1389

FMSI# D1389



Height Inches: 2.91 Height mm: 73.91 Length Inches: 7.85 Length mm: 199.39

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1389T18	0.709	18
ST31R1389T18	0.709	18

Caliper Application

Fitments
Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	


s/o=special order




Fitments listed for reference only. Custom thickness available upon request.

R1442

FMSI# D763



Inner



Outer

Height Inches: 1.77 Height mm: 45.00 Length Inches: 4.85 Length mm: 123.20

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1442		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R1442T15	0.591	15

Caliper Application

Fitments
Formula Mazda, Alcon

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1474

FMSI# D1474



Height Inches: 3.82 Height mm: 97.00 Length Inches: 5.19 Length mm: 131.80

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1474		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1474T15	0.591	15
ST43R1474T15	0.591	15

Caliper Application

Fitments
Chevrolet (Camaro, Corvette)

Compound Availability

R1474 Not found in Racing Compounds file


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1656

FMSI# D1656



Height Inches: 3.47 Height mm: 88.10 Length Inches: 2.74 Length mm: 69.90

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1656T16	0.630	16
ST77R1656T16	0.630	16

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1740

FMSI# D1740



Height Inches: 3.42 Height mm: 86.87 Length Inches: 7.38 Length mm: 187.45

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1740T17	0.669	17

Caliper Application

Fitments
Porsche, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1741

FMSI# D1741



Height Inches: 3.15 Height mm: 80.01 Length Inches: 7.80 Length mm: 198.12

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1741T18	0.709	18

Caliper Application

Fitments
Porsche, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.




R1784

FMSI# D1784



Inner



Outer

Height Inches: 3.57 Height mm: 90.70 Length Inches: 6.42 Length mm: 163.10

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1784		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R1784T17	0.669	17
ST43R1784T17	0.669	17

Caliper Application

Fitments
Ford (Mustang)

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o	s/o	s/o		s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R1793

FMSI# D1793



Height Inches: 1.89 Height mm: 48.00 Length Inches: 4.99 Length mm: 126.70

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HPS1793		

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST77R1793T16	0.630	16

Caliper Application

Fitments
Ford (Mustang), Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o	s/o		s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R1880

FMSI# D1880



Height Inches: 3.61 Height mm: 91.70 Length Inches: 4.42 Length mm: 112.30

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST43R1880T17	0.669	17
ST77R1880T17	0.669	17

Caliper Application

Fitments
BMW

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o	s/o	s/o			s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R2000

FMSI# DR5



Height Inches: 2.44 Height mm: 61.98 Length Inches: 5.18 Length mm: 131.57

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4441	0.63	16
APR	700	0.63	16
Brembo	07.7869.XX		
Ferodo	1077	0.63	16
Ferodo	1078	0.98	25
Ferodo	302	0.78	20
Hawk	HB208	0.62	16
Mintex	1835	0.78	20
PFC	7700	0.63	16
Wilwood	9216	0.63	16
Wilwood	9220	0.78	20

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2000T16	0.630	16
ST47R2000T20	0.787	20
ST47R2000T25	0.984	25
ST41R2000T16	0.630	16
ST41R2000T20	0.787	20
ST41R2000T25	0.984	25
ST45R2000T16	0.630	16
ST45R2000T20	0.787	20
ST45R2000T25	0.984	25
ST43R2000T16	0.630	16
ST43R2000T18	0.709	18
ST43R2000T20	0.787	20
ST43R2000T25	0.984	25
ST42R2000T16	0.630	16

Caliper Application

Fitments
Alcon, AP Racing, Brembo,
Coleman, Wilwood

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
			s/o		s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R2001

FMSI# R2001



Height Inches: 2.44 Height mm: 61.98 Length Inches: 5.18 Length mm: 131.57

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB105	0.62	16

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2001T19	0.748	19
ST41R2001T19	0.748	19
ST45R2001T19	0.748	19
ST43R2001T19	0.748	19
ST42R2001T19	0.748	19

Caliper Application

Fitments
Alcon, AP Racing, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o	s/o		s/o	s/o	s/o	s/o


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R2002

FMSI# R2002



Height Inches: 2.44 Height mm: 61.98 Length Inches: 5.19 Length mm: 131.83

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
--------------	-----	------------	--------

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2002T16	0.630	16
ST47R2002T20	0.787	20
ST47R2002T25	0.984	25
ST41R2002T16	0.630	16
ST41R2002T20	0.787	20
ST41R2002T25	0.984	25
ST45R2002T16	0.630	16
ST45R2002T20	0.787	20
ST45R2002T25	0.984	25
ST43R2002T16	0.630	16
ST43R2002T20	0.787	20
ST43R2002T25	0.984	25
ST38R2002T16	0.630	16
ST42R2002T18	0.709	18
ST42R2002T20	0.787	20
ST42DR2002T25	0.984	25

Caliper Application

Fitments
Alcon, AP Racing, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
			s/o			s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R2600

FMSI# DR11



Height Inches: 2.93 Height mm: 74.42 Length Inches: 5.99 Length mm: 152.15

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Alcon	4489	0.72	18
APR	CP3894D51	0.71	18
APR	CP558D51	0.98	25
Ferodo	3003	0.71	25
Ferodo	3014	0.98	25
Hawk	HB109	1.12	29
PFC	7790	0.71	18
Wilwood	8818	0.71	18
Wilwood	8820	0.78	20
Wilwood	8825	0.98	25
Wilwood	8828	1.1	28

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2600T16	0.630	16
ST47R2600T17	0.669	17
ST47R2600T18	0.709	18
ST47R2600T20	0.787	20
ST47R2600T25	0.984	25
ST47R2600T28	1.102	28
ST41R2600T16	0.630	16
ST41R2600T17	0.669	17
ST41R2600T18	0.709	18
ST41R2600T20	0.787	20
ST41R2600T25	0.984	25
ST41R2600T28	1.102	28
ST45R2600T16	0.630	16
ST45R2600T17	0.669	17
ST45R2600T18	0.709	18
ST45R2600T20	0.787	20
ST45R2600T25	0.984	25
ST45R2600T28	1.102	28
ST44R2600T18	0.709	18
ST43R2600T16	0.630	16
ST43R2600T17	0.669	17
ST43R2600T18	0.709	18
ST43R2600T20	0.787	20
ST43R2600T25	0.984	25
ST43R2600T28	1.102	28
ST77R2600T18	0.709	18
ST31R2600T17	0.669	17
ST31R2600T18	0.709	18
ST04R2600T18	0.709	18
ST38R2600T18	0.709	18

Caliper Application

Fitments

Alcon, AP Racing, Coleman, Wilwood, Baer

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST38	ST77	ST31
						s/o	


s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

R2601

FMSI# R2601



Height Inches: 2.46 Height mm: 62.48 Length Inches: 5.98 Length mm: 151.89

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB109	1.12	29

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2601T18	0.709	18
ST47R2601T25	0.984	25
ST41R2601T18	0.709	18
ST41R2601T25	0.984	25
ST45R2601T18	0.709	18
ST45R2601T25	0.984	25
ST43R2601T18	0.709	18
ST43R2601T25	0.984	25

Caliper Application

Fitments
Alcon, AP Racing, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
s/o		s/o	s/o	s/o	s/o	s/o


s/o=special order

Fitments listed for reference only. Custom thickness available upon request.



R2602

FMSI# R2602



Height Inches: 3.17 Height mm: 80.52 Length Inches: 5.98 Length mm: 151.89

Competitor Part Cross Reference

Manufacturer	Fit	OAT Inches	OAT mm
Hawk	HB688	0.71	18

Raybestos Part Number

Part#	OAT Inches	OAT mm
ST47R2602T18	0.709	18
ST47R2602T25	0.984	25
ST41R2602T18	0.709	18
ST41R2602T25	0.984	25
ST45R2602T18	0.709	18
ST45R2602T25	0.984	25
ST43R2602T18	0.709	18
ST43R2602T25	0.984	25
ST43R2602T29	1.142	29

Caliper Application

Fitments
Alcon, AP Racing, Brembo

Compound Availability

ST47	ST41	ST45	ST44	ST43	ST77	ST31
	s/o		s/o		s/o	s/o

s/o=special order



Fitments listed for reference only. Custom thickness available upon request.

TERMS AND CONDITIONS

This Catalog is intended solely for use by purchasers or potential purchasers of aftermarket automotive products from Brake Parts Inc LLC ("Customers").

If you **are not** a current Customer, this notice applies to you:

No part of this Catalog may be reproduced, distributed, disseminated, recorded or utilized in any format, by any means, electronic or mechanical, including without limitation photocopying, scanning, or recording in any information retrieval or storage system, without the prior written permission of Brake Parts Inc LLC. In particular, without limiting the foregoing, no part of this Catalog may be incorporated into another work of any kind in any format that catalogs, lists, offers or specifies products not sold by Brake Parts Inc LLC.

If you **are** a current Customer, your use of this Catalog is subject to the following Customer Agreement:

By using this Catalog, you agree to be bound by this Agreement. If you do not wish to be bound by this Agreement, then do not use this Catalog, and do not reproduce, distribute, disseminate, record or use any Content from this Catalog.

Content

All information in any medium or format furnished by Brake Parts Inc LLC herein, including text, images, data, graphics, links, captions, or other information (collectively, "Content") is owned by Brake Parts Inc LLC or our Content providers. All Content is protected by U.S. and international copyright laws. All rights not specifically granted under this Agreement are reserved to Brake Parts Inc LLC.

Current Customers may, subject to the terms and conditions of this Agreement:

- a) Use the Catalog for your internal use, solely to look up information related to aftermarket automotive products in the ordinary course of business;
- b) Use the Catalog to investigate, respond to inquiries from, or to provide quotations, purchase orders or invoices, to your customers; and
- c) If necessary, in relation to either a) or b) above and to directly facilitate the sale of Brake Parts Inc LLC's aftermarket automotive products, make a limited number of photocopies of one or more pages of this Catalog (but not all or substantially all of the Catalog).

You may not:

- a) Deliver, provide access to, directly or indirectly, or otherwise make the Content available to any third parties;
- b) Remove any trademark, copyright or other proprietary notices from the Catalog or any Content;
- c) Reformat or extract data from the Catalog or any Content, or incorporate the Catalog or any Content in whole or in part into another work of any kind in any format, including, without limitation, any work that catalogs, lists, offers or specifies products not sold by Brake Parts Inc LLC.

General

By using this Catalog, you acknowledge that you have read this Agreement, understand it and agree to be bound by its terms and conditions. You further agree that it supersedes any proposal or prior agreement, oral or written, and that it cannot be modified except by signed written agreement by a duly authorized executive of Brake Parts Inc LLC. If you do not comply with the terms and conditions above, this Agreement shall automatically terminate, and the notice above directed to non-customers shall apply to you.



Distributed By:



CONTACT YOUR RAYBESTOS® SALES REPRESENTATIVE FOR MORE INFORMATION.

www.raybestos.com



BRAKE PARTS INC™

©2020 Brake Parts Inc LLC. All rights reserved. RAYBESTOS, THE BEST IN BRAKES, and the Brake Parts Inc logo are among the registered trademarks and trademarks of BPI Holdings International, Inc. All other trademarks are the property of their respective owners.